




# Samsung ML2510 Rear Cooling Fan Replacement

This guide will demonstrate the procedure to replace the rear cooling fan on the Samsung ML2510

Written By: bbaustin



## INTRODUCTION

This guide will go over where to locate and replace the rear cooling fan. You will need to reference the [Removing Samsung ML2510 Back Panel](#) repair guide to complete this one.


---



### TOOLS:


- [Phillips #1 Screwdriver](#) (1)
-

## Step 1 — Back Panel



- Remove the hinged top panel by taking the small pins at the bottom of the panel out of their holes.


## Step 2



- Using a Phillips #2 screwdriver, remove the four 1" long, Phillips, PH#2 screws on the back of the printer.




## Step 3




- Gently lift the top panel while simultaneously pulling off the back panel.
- ⚠ Before pulling out the back panel entirely, make sure to remove the rear cooling fan from its slot.

## Step 4 — Rear Cooling Fan



- Once the fan is detached, unplug the fan from the circuit board.
- Slide the fan's wiring through the anchored slit.

## Step 5



- With the new fan, thread the wiring through the old fan's slit.
- Reconnect the fan by plugging it back into the circuit board.
- Reattach the back panel following these instructions in reverse order.

This document was last generated on 2017-06-25 07:27:12 AM.